WOMBOOTA PASTORAL SALE

THURSDAY 1st OCTOBER 2009
1.00pm

WOMBOOTA PASTORAL SHEARING SHED,
WOMBOOTA NSW

Vendors
Malcolm Starritt 03 5489 3225 or 0429 893 200
Ian Starritt 03 5489 3250
malcolm@wombootapastoral.com

51 ONE YEAR OLD RAMS
11 Specially Selected Rams &
20 Pens of 2 Rams

LANDMARK
look to us

Echuca Office **03 5482 1588**
Craig Barbary **0418 936 713**
Wilson Beer **0428 505 520**

$uperBorder$
www.superborders.com

LAMBPLAN
ASBV

www.wombootapastoral.com

WOMBOOTA PASTORAL

9th ON PROPERTY RAM SALE

THURSDAY 1st OCTOBER 2009, 1.00pm

WOMBOOTA PASTORAL SHEARING SHED, WOMBOOTA NSW

11 Specially Selected Rams (Pedigrees on display) **– 20 Pens of 2 Rams**

WHY WOMBOOTA PASTORAL BORDER LEICESTERS?

HISTORY – we have a 95 year history of breeding some of the best Border Leicesters in Australia

WE USE OUR OWN – we benefit from superior stud genetics in our own prime lamb operations

PROVEN PROFIT – we have proven results, and so will you ...

- Rams will be penned from 10.30am on the day of the sale
- Full Lambplan ASBV's available on each ram
- Pens of two sold under two hammers
- All sheep at **Womboota Pastoral** have been Gudair vaccinated since 2004
- Rams carry an Australian Health Score of 7 out of a possible 10 points
- **Womboota Border Leicester Stud** is Accretited Brucellosis free
- **Womboota Pastoral** is located within a footrot protected area.
- Light refreshments available on the day of the sale

We look forward to having you at our sale.
Regards,

Ian, Victoria, Alastair and Malcolm Starritt

LANDMARK look to us

Echuca Office 03 5482 1588
Craig Barbary 0418 936 713
Wilson Beer 0428 505 520

www.wombootapastoral.com
www.superborders.com
www.sheepgenetics.org.au

Outside Agents 4% Rebate

AHS: 7 points



LAMBPLAN ASBV

$uperBorder$ www.superborders.com

RIDLEY AGRIPRODUCTS

Rumevite

Understanding LAMBPLAN Maternal ASBVs

Rams with a more positive weaning weight (WWT) will, on average, produce lambs that grow quicker to weaning. This ram will produce lambs that are, on average, 0.4kg heavier than a ram with a 0 ASBV for WWT.

Rams with more positive ASBVs for post weaning weight (PWT) produce lambs that grow quicker and reach target weights in a shorter time. This ram will produce lambs that are, on average, 1.25kg heavier than a ram with a 0 ASBV for PWT.

Rams with more positive ASBVs for eye muscle depth (EMD) produce lambs that have a higher lean meat yield. This ram will produce lambs that have a 0.2mm deeper eye muscle than a ram with a 0 EMD ASBV.

Rams with a higher clean fleece weight (CFW) ASBV will produce progeny that cut more wool. This ram will produce progeny that, on average, cut 2.5% more wool than a ram with an ASBV of 0.

Worm egg count (WEC) ASBVs estimate an animal's genetic potential for resisting worm burdens. Lower WEC ASBVs are desirable. This ram will, on average, sire progeny that have 10% fewer eggs/gram than a ram with an ASBV of 0.

Trait	WWT (kg)	MWT (kg)	PWT (kg)	FAT (mm)	EMD (mm)	NLW (%)	CFW (%)	SC (cm)	WEC (%)	INDEX
ASBV	0.8	1.0	2.5	-0.4	0.4	4	5	0.6	-10	105.6
Acc	*51*	*53*	*61*	*45*	*38*	*33*	*37*	*44*	*37*	

Rams with more positive ASBVs for maternal weaning weight (MWT) will produce daughters which will wean heavier lambs. This ASBV reflects a combination of the daughter's ability to milk and provide a better maternal environment.

Rams with a more negative ASBV for fat will produce lambs that are leaner, at the same weight. This ram will produce lambs that are, on average, 0.2mm leaner at the GR site when compared to a ram with a FAT ASBV of 0.

Rams with a more positive number of lambs weaned (NLW) ASBV will sire daughters that wean a higher percentage of lambs. This ram with an ASBV of 4 will sire daughters which, on average, will wean 2% more lambs.

Rams with higher scrotal circumference (SC) ASBVs will sire daughters that are, on average, more fertile.

An index is a guide to the value of a ram for a particular market. Rams with higher indexes will produce lambs that are more suited to that particular breeding objective. In many cases the indexes used for maternal breeds are in $ terms.

- **An ASBV of 0 is the average of the 1990 drop.**
- *Note: A useful rule of thumb for converting ram ASBVs into lamb production differences is to simply halve the ASBV (as rams contribute half the genetics of the lamb).*
- Accuracy - published as a percentage, is a reflection of the amount of effective information that is available to calculate the ASBV. All ASBVs are now published with accuracies. The higher the percentage, the closer the ASBV is to the true breeding value of the animal. Breeding values without accuracies are Flock Breeding Values (FBVs) and can only be compared within the flock.

For more information contact Sheep Genetics
Ph: 02 6773 2948 Fax: 02 6773 2707
info@sheepgenetics.org.au www.sheepgenetics.org.au

Sheep Genetics is a joint program of Meat & Livestock Australia Limited ABN 39 081 678 364 and Australian Wool Innovation Limited ABN 12 095 165 558

WOMBOOTA

MALCOLM STARRITT

02 – 4575

ANALYSIS: *BORDER* DATED: *15/8/09*



www.superborders.com

$uperBorder$ are Border Leicesters ranked by **LAMBPLAN** to have superior genes for lamb production.

LAMBPLAN has independently ranked every ram sold under the **$uperBorder$** brand as above average for the breed.

The **Dollar Index** and **ASBVs** of each ram show how they can produce significant extra returns and improved maternal traits.Through better growth rates, fertility, improved carcass traits, controlled fat and better muscling. **$uperBorder$** enable producers to refine their own production systems.

What is the Dollar Index?

The overall value of **ASBVs** to clients is summarized in one score – The Dollar Index.

The Border Dollar Index adds together a ram's ASBVs, expressed in dollars per ewe joined.

The index is built up from the ram's contribution to each extra kg of lamb grown by the First and Second-cross breeder, and each extra lamb weaned by the Second-cross breeder. It allows for the fact that only 50% of the growth and fertility of the First-cross progeny is attributable to the ram, and 25% of the growth of the Second-cross.

The Components of the Index are :

- WWT - weaning weight
- MWWT - maternal weaning weight (extra growth contributed by the ewe = milk)
- PWWT - post-weaning weight (approx 9 months of age)
- YGFW - yearling greasy fleece weight
- NLW - number of lambs weaned
- PFAT - fat-depth at post-weaning
- PEMD - eye-muscle depth at post-weaning.

Extra Dollar Returns

As an example, if the breed average is 103, an index of 108 would represent a return of an extra **$5** for each ewe joined each year, or **$1000** for a lifetime's progeny of 200 lambs above breed average.

The second-cross breeder receives the benefit of the higher fertility (NLW) and milking ability (MWWT) whilst both First and Second-cross breeders share the benefit of the higher weaning weight (WWT) and Post-weaning weight (PWWT).

Percentile Report

Analysis **BORDER** Dated **15/08/2009**

Animals born in 2008

Band	Bwt kg	Wwt kg	Mwwt kg	Pwwt kg	Pfat mm	Pemd mm	Ywt kg	Yfat mm	Yemd mm	Ygfw %	Yfd u	Pfec %	NLW %	PSC cm	Border$	Coopworth$	SAMM	Corriedale$
0	-0.4	9.1	3.5	14.9	-3.0	2.2	20.3	-4.2	2.2	30	0.0	-72	23	6.5	144.0	144.0	174.9	144.2
1	-0.2	6.3	2.0	9.4	-1.5	1.3	11.2	-2.1	1.2	17	0.0	-53	16	3.6	127.5	127.5	147.5	127.7
2	-0.1	5.8	1.8	8.7	-1.3	1.1	10.4	-1.8	1.0	15	0.0	-46	15	3.3	125.2	125.2	143.6	125.3
3	-0.1	5.5	1.7	8.3	-1.2	1.1	9.9	-1.7	0.9	14	0.0	-44	14	3.1	123.8	123.8	141.6	124.0
4	-0.1	5.3	1.6	8.0	-1.1	1.0	9.6	-1.6	0.9	13	0.0	-41	13	3.0	122.7	122.7	140.1	122.8
5	-0.1	5.1	1.5	7.7	-1.1	0.9	9.3	-1.5	0.8	13	0.0	-39	12	2.9	121.8	121.8	138.8	121.9
10	0.0	4.5	1.3	6.8	-0.9	0.7	8.4	-1.2	0.6	11	0.0	-33	10	2.5	118.9	118.9	134.4	119.0
15	0.0	4.1	1.1	6.2	-0.7	0.5	7.7	-1.0	0.5	10	0.0	-29	9	2.2	116.9	116.9	131.4	117.0
20	0.1	3.8	1.0	5.7	-0.6	0.4	7.2	-0.9	0.4	9	0.0	-25	8	2.0	115.5	115.5	129.1	115.6
25	0.1	3.6	0.9	5.3	-0.5	0.3	6.8	-0.7	0.3	8	0.0	-22	7	1.8	114.3	114.3	126.9	114.4
30	0.1	3.3	0.8	5.0	-0.5	0.2	6.3	-0.6	0.2	7	0.0	-19	6	1.7	113.2	113.2	125.1	113.3
35	0.1	3.1	0.7	4.6	-0.4	0.1	5.8	-0.5	0.1	6	0.0	-16	5	1.6	112.2	112.2	123.3	112.3
40	0.1	2.8	0.6	4.3	-0.3	0.1	5.4	-0.4	0.1	6	0.0	-13	5	1.4	111.2	111.2	121.6	111.3
45	0.2	2.6	0.5	4.0	-0.2	0.0	5.0	-0.3	0.0	5	0.0	-10	4	1.3	110.2	110.2	120.0	110.3
50	0.2	2.4	0.4	3.7	-0.2	-0.1	4.6	-0.2	-0.1	5	0.0	-7	4	1.2	109.3	109.3	118.2	109.4
55	0.2	2.2	0.4	3.4	-0.1	-0.1	4.2	-0.1	-0.1	4	0.0	-4	3	1.1	108.5	108.5	116.5	108.5
60	0.2	2.0	0.3	3.0	0.0	-0.2	3.7	0.0	-0.2	4	0.0	-1	3	0.9	107.6	107.6	114.6	107.6
65	0.2	1.7	0.2	2.7	0.0	-0.3	3.3	0.1	-0.3	3	0.0	3	2	0.8	106.6	106.6	112.8	106.7
70	0.2	1.5	0.1	2.4	0.1	-0.3	2.9	0.2	-0.3	2	0.0	6	2	0.7	105.7	105.7	110.8	105.8
75	0.3	1.3	0.0	2.0	0.2	-0.4	2.5	0.3	-0.4	2	0.0	10	1	0.6	104.7	104.7	108.9	104.7
80	0.3	1.0	-0.1	1.6	0.3	-0.5	2.0	0.4	-0.5	1	0.0	15	1	0.4	103.6	103.6	106.5	103.6
85	0.3	0.7	-0.2	1.2	0.4	-0.6	1.5	0.6	-0.6	0	0.0	20	0	0.2	102.4	102.4	104.0	102.4
90	0.4	0.3	-0.4	0.7	0.6	-0.7	0.8	0.8	-0.7	-1	0.0	28	-1	0.0	100.7	100.7	100.9	100.7
95	0.4	-0.2	-0.6	-0.1	0.8	-0.9	-0.1	1.2	-0.8	-3	0.0	39	-2	-0.4	98.5	98.5	96.9	98.5
100	0.7	-5.4	-2.7	-7.0	2.9	-2.5	-8.9	4.5	-2.1	-20	0.0	113	-18	-7.9	82.1	82.1	67.2	82.2

LAMBPLAN

Analysis: BORDER, 15 August 2009
Breed 02 Flock 4575 Years 2007 to 2009

WOMBOOTA BORDER LEICESTER STUD – SIRES

Animal ID	PROG: FLKS	BWT kg	MWWT kg	WWT kg	PWWT kg	PFAT mm	PEMD mm	YWT kg	YGFW %	NLW %	PSC cm	PFEC %	BORDER $	SIRE	DAM
J115-07 KELSO	16:1 *Acc.*	0.47 *68*	-0.1 *49*	6.1 *70*	9.7 *71*	-0.3 *51*	0.4 *61*	13.0 *72*	5.7 *54*	-0.6 *40*	1.4 *65*		**118.1**	E293-04	G233-05
369-06 JOHNOS	104:3 *Acc.*	0.64 *89*	1.3 *55*	8.2 *92*	10.7 *92*	-1.4 *86*	-0.5 *84*	11.5 *89*	5.2 *87*	13.3 *54*	1.5 *88*	44.6 *37*	**131.1**	117-04	173-03
648-06 JOHNOS	74:2 *Acc.*	0.22 *84*	0.5 *45*	6.5 *67*	10.9 *87*	-0.9 *72*	-0.8 *71*	13.1 *86*	12.3 *81*	11.7 *49*	3.8 *81*		**127.7**	361-05	333-05
60-05 WOMBOOTA	85:1 *Acc.*	0.54 *81*	1.0 *54*	5.9 *86*	8.3 *87*	-1.4 *75*	-1.1 *76*	11.4 *88*	7.5 *82*	6.2 *45*	3.1 *77*	11.2 *36*	**119.5**	244-03	70-02
130-05 WOMBOOTA	39:1 *Acc.*	0.24 *75*	1.6 *53*	4.4 *83*	5.1 *84*	-0.1 *75*	0.9 *75*	5.2 *85*	-2.2 *81*	4.5 *42*	1.7 *77*	-13.4 *36*	**118.0**	80-03	11-03
30-06 WOMBOOTA	4:1 *Acc.*	0.16 *53*	1.3 *56*	3.4 *70*	5.0 *69*	-0.4 *65*	-0.7 *64*	7.1 *73*	7.0 *70*	4.7 *41*	1.9 *65*		**113.0**	237-04	162-00
87-06 WOMBOOTA	6:1 *Acc.*	0.50 *63*	-0.2 *43*	4.2 *67*	4.6 *68*	-0.5 *66*	0.0 *64*	5.0 *56*	-0.4 *52*	8.9 *36*	2.0 *69*		**114.9**	56-04	73-00
166-06 WOMBOOTA	6:1 *Acc.*	0.49 *67*	0.6 *54*	4.5 *73*	7.1 *73*	-0.9 *71*	0.4 *69*	8.3 *71*	18.4 *73*	11.2 *45*	2.4 *74*	25.3 *36*	**124.6**	118-02	200-04

WOMBOOTA BORDER LEICESTER STUD – Specially Selected Rams

LOT	Animal ID	BWT kg	MWWT kg	WWT kg	PWWT kg	PFAT mm	PEMD mm	YWT kg	YGFW %	NLW %	PSC cm	SB NUMBER	BORDER $	SIRE	DAM
1	42-08 Acc.	0.37 *59*	1.1 *43*	5.1 *59*	7.5 *59*	-0.7 *54*	0.0 *53*	8.6 *59*	3.6 *52*	9.5 *32*	1.9 *53*		**122.9**	369-06	02-07
Purchaser															
2	106-08 Acc.	0.38 *49*	0.8 *36*	4.6 *54*	5.5 *67*	6.7 *54*	-1.1 *48*	8.5 *56*	11.9 *53*	5.8 *29*	1.0 *58*		**119.1**	60-05	79-06
Purchaser															
3	03-08 Acc.	0.16 *57*	1.3 *37*	4.4 *57*	7.3 *56*	-0.8 *48*	-0.6 *46*	9.3 *57*	14.0 *49*	7.7 *31*	2.1 *50*		**120.4**	648-06	235-03
Purchaser															
4	02-08 Acc.	0.46 *59*	1.3 *41*	5.9 *59*	7.2 *58*	-0.7 *54*	-0.8 *53*	7.9 *58*	0.7 *51*	11.0 *32*	1.8 *54*		**121.6**	369-06	66-03
Purchaser															
5	80-08 Acc.	0.17 *49*	0.5 *37*	4.1 *56*	6.2 *55*	-0.2 *48*	-0.5 *47*	7.4 *56*	3.9 *46*	5.9 *29*	2.4 *62*		**114.8**	648-06	61-03
Purchaser															
6	27-08 Acc.	0.43 *59*	1.3 *39*	5.2 *59*	6.8 *58*	-0.8 *53*	0.2 *52*	7.1 *58*	1.7 *55*	7.5 *33*	1.2 *53*		**121.4**	369-06	196-04
Purchaser															
7	49-08 Acc.	0.53 *57*	0.9 *38*	5.6 *58*	8.3 *57*	-1.0 *52*	-0.1 *52*	10.4 *57*	12.3 *55*	9.3 *31*	2.9 *63*		**124.0**	60-05	165-06
Purchaser															
8	145-08 Acc.	0.17 *47*	1.2 *39*	2.5 *54*	3.2 *54*	-0.5 *49*	0.4 *49*	3.6 *56*	-0.3 *50*	4.7 *27*	1.0 *61*		**112.8**	130-05	180-03
Purchaser															
9	62-08 Acc.	0.43 *54*	0.4 *39*	5.4 *56*	6.9 *57*	-0.9 *53*	-0.5 *52*	7.7 *57*	1.0 *55*	8.5 *34*	1.3 *53*		**118.6**	369-06	45-05
Purchaser															
10	40-08 Acc.	0.63 *56*	0.8 *34*	6.2 *55*	8.1 *55*	-1.1 *49*	-0.7 *49*	10.6 *54*	7.2 *52*	7.1 *27*	1.6 *59*		**120.3**	60-05	164-06
Purchaser															
11	29-08 Acc.	0.47 *59*	0.7 *38*	5.4 *58*	8.5 *58*	-0.5 *49*	-0.1 *49*	10.5 *58*	3.8 *54*	11.5 *33*	3.0 *52*		**125.2**	648-06	52-04
Purchaser															

WOMBOOTA BORDER LEICESTER STUD – Pens of 2 Rams

LOT	Animal ID	BWT kg	MWWT kg	WWT kg	PWWT kg	PFAT mm	PEMD mm	YWT kg	YGFW %	NLW %	PSC cm	SB NUMBER	BORDER $	SIRE	DAM
12	61-08 Acc.	0.26 52	0.6 35	5.0 55	8.0 55	-0.6 48	-0.2 47	9.9 56	16.6 53	9.7 32	2.7 50		**123.0**	648-06	105-04
13	125-08 Acc.	0.42 57	1.4 42	3.7 58	5.0 57	-0.8 50	0.0 50	6.4 58	4.3 54	8.4 31	1.5 62		**118.3**	60-05	118-04
Purchaser															
14	102-08 Acc.	0.12 43		3.4 45	5.7 45	-0.2 56	-0.1 55	7.9 68	5.4 65	5.4 25	2.1 59		**118.0**	648-06	117-04
15	38-08 Acc.	0.26 59	0.5 36	5.1 57	8.2 56	-1.1 49	-0.4 48	10.2 71	13.5 53	10.4 33	3.1 50		**123.4**	648-06	79-04
Purchaser															
16	16-08 Acc.	0.08 57	0.6 31	3.9 55	7.2 55	-0.2 47	0.1 46	8.7 56	9.6 52	7.6 30	2.8 51		**120.0**	648-06	90-05
17	147-08 Acc.	0.12 50	0.5 42	3.2 50	4.4 50	0.1 46	0.0 45	6.6 52	4.7 46	5.9 28	2.7 59		**112.9**	30-06	02-03
Purchaser															
18	34-08 Acc.	0.24 58	0.2 37	5.0 57	8.0 57	-0.6 49	-0.2 48	9.8 57	6.7 54	6.8 32	2.3 51		**119.6**	648-06	108-05
19	75-08 Acc.	0.11 50	0.9 37	4.0 56	6.4 55	-0.4 48	0.5 47	7.1 56	8.4 53	2.3 31	1.9 50		**116.6**	648-06	182-04
Purchaser															
20	12-08 Acc.	0.27 51	0.4 36	4.0 51	5.8 50	-0.3 43	0.6 43	6.8 51	2.0 63	1.2 27	0.9 58		**113.9**	J115-07	104-03
21	20-08 Acc.	0.17 56	0.6 36	3.1 56	5.5 55	-0.4 44	-0.3 44	7.4 54	5.6 47	3.4 29	1.7 61		**113.0**	648-06	E377-04
Purchaser															
22	24-08 Acc.	0.34 52	1.1 40	5.3 57	6.5 57	-1.2 53	0.4 51	6.7 57	6.5 54	2.9 32	0.9 52		**118.3**	369-06	170-04
23	76-08 Acc.	0.11 50	0.9 37	4.0 56	6.4 55	-0.4 48	0.5 47	7.1 56	8.4 53	2.3 31	1.9 50		**116.6**	648-06	182-04
Purchaser															
24	78-08 Acc.	0.33 53	1.8 41	5.0 57	6.2 57	-1.3 53	-0.8 52	6.8 56	8.9 55	5.9 34	0.8 52		**117.6**	369-06	23-04
25	71-08 Acc.	0.31 49	0.4 40	3.6 56	5.1 56	-1.2 50	-0.7 50	6.7 58	8.4 50	3.4 29	1.1 62		**111.8**	60-05	201-03
Purchaser															

WOMBOOTA BORDER LEICESTER STUD – Pens of 2 Rams

LOT	Animal ID	BWT kg	MWWT kg	WWT kg	PWWT kg	PFAT mm	PEMD mm	YWT kg	YGFW %	NLW %	PSC cm	SB NUMBER	BORDER $	SIRE	DAM
26	143-08 Acc.	0.20 *44*	0.7 *34*	3.4 *53*	4.4 *52*	-0.6 *47*	0.5 *47*	4.6 *55*	-2.9 *52*	5.7 *26*	1.6 *60*		**115.3**	130-05	133-05
27	100-08 Acc.	0.30 *52*	-0.2 *37*	4.2 *56*	6.4 *56*	-1.0 *48*	-0.6 *48*	7.7 *57*	12.1 *53*	7.7 *32*	2.1 *50*		**116.4**	648-06	40-04
Purchaser															
28	68-08 Acc.	0.11 *48*	1.4 *38*	2.7 *54*	3.7 *54*	-0.6 *49*	0.0 *49*	4.7 *56*	3.0 *53*	1.6 *29*	0.8 *61*		**110.7**	130-05	23-06
29	96-08 Acc.	0.40 *59*	0.9 *38*	5.5 *58*	7.2 *58*	-0.6 *53*	-0.1 *52*	7.9 *58*	0.4 *54*	9.3 *32*	1.7 *52*		**121.5**	369-06	54-05
Purchaser															
30	121-08 Acc.	0.27 *47*	0.1 *44*	3.2 *52*	5.2 *52*	-0.1 *46*	0.6 *46*	6.2 *53*	8.0 *65*	3.1 *29*	0.8 *55*		**113.5**	J115-07	51-02
31	146-08 Acc.	0.19 *51*	0.1 *39*	2.6 *52*	3.8 *50*	-0.5 *45*	0.3 *44*	5.2 *50*	7.7	2.1 *28*	1.5		**110.0**	166-06	E413-04
Purchaser															
32	156-08 Acc.	0.21 *55*	1.4 *45*	3.7 *66*	4.0 *64*	-0.3 *59*	0.7 *58*	4.5 *69*	9.3 *66*	6.6 *35*	2.0 *61*		**117.0**	166-06	01-02
33	122-08 Acc.	0.18 *53*	0.2 *34*	2.1 *52*	2.9 *53*	-1.0 *45*	-0.7 *42*	3.7 *55*	5.8 *46*	1.6 *24*	1.7 *59*		**106.0**	60-05	300-03
Purchaser															
34	98-08 Acc.	0.26 *51*	0.4 *35*	3.0 *62*	5.2 *67*	-0.2 *57*	0.9 *56*	6.4 *69*	7.1 *65*	-0.2 *34*	1.4 *59*		**112.6**	J115-07	22.05
35	166A-08 Acc.	-0.2 *54*	0.1 *41*	1.4 *64*	2.4 *63*	0.7 *58*	0.6 *57*	2.7 *67*	4.0 *65*	6.0 *33*	0.9 *58*		**110.0**	30.06	12A.04
Purchaser															
36	94-08 Acc.	0.19 *47*	1.1 *45*	3.3 *55*	3.7 *56*	0.0 *50*	0.6 *50*	3.8 *58*	-2.1 *51*	7.6 *28*	1.8 *50*		**116.0**	130-05	162-00
37	128-08 Acc.	0.26 *51*	0.3 *40*	3.0 *52*	4.5 *52*	0.2 *48*	0.6 *47*	5.0 *52*	8.5 *50*	5.1 *29*	1.6 *60*		**114.1**	116-06	177-04
Purchaser															
38	91-08 Acc.	0.44 *48*	1.1 *34*	4.7 *54*	6.5 *54*	-1.2 *49*	-1.3 *49*	8.6 *54*	8.0 *53*	5.3 *28*	1.7 *61*		**114.8**	60-05	113-06
39	113-08 Acc.	0.33 *56*	0.6 *36*	4.5 *56*	6.6 *55*	-0.8 *49*	0.3 *48*	8.4 *57*	9.6 *49*	6.1 *29*	1.4 *66*		**119.3**	60-05	80-06
Purchaser															

WOMBOOTA BORDER LEICESTER STUD – Pens of 2 Rams

LOT	Animal ID	BWT kg	MWWT kg	WWT kg	PWWT kg	PFAT mm	PEMD mm	YWT kg	YGFW %	NLW %	PSC cm	SB NUMBER	BORDER $	SIRE	DAM
40	182-08 Acc.	0.17 59	0.5 40	3.6 66	5.1 65	-1.0 59	0.1 59	6.8 89	9.6 68	0.2 36	0.3 60		**111.8**	12-06	190-04
41	22-08 Acc.	0.33 45	0.1 34	3.9 49	6.3 49	-0.2 45	0.0 44	8.1 50	4.9 50	-2.0 27	-0.7 59		**110.2**	J115-07	327-04
Purchaser															
42	163-08 Acc.	0.21 51	0.3 44	3.0 66	4.2 54	-1.0 60	0.7 59	5.5 69	2.0 65	8.1 36	1.4 61		**117.3**	166.05	89.03
43	13-08 Acc.	0.26 51	0.4 36	3.9 51	5.7 50	-0.3 43	0.6 43	6.7 51	5.0	1.1 27	1.0		**113.8**	J115-07	104-03
Purchaser															
44	06-08 Acc.	0.28 58	0.4 38	4.8 57	7.7 58	-0.6 49	-0.6 48	8.8 58	7.1 49	6.3 32	2.8 51		**118.2**	48-06	43-05
45	127-08 Acc.	0.29 51	0.3 40	3.1 52	4.6 52	0.1 48	0.6 47	5.1 52	8.6 50	5.2 29	1.6 60		**114.3**	166-06	117-04
Purchaser															
46	161-08 Acc.	0.05 57	0.8 44	1.2 68	1.1 67	0.2 61	0.5 60	0.4 71	2.5 68	3.8 34	0.8 62		**107.5**	130-05	12-02
47	164-08 Acc.	0.16 35	0.6 38	2.7 62	3.7 63	-0.1 57	0.2 67	4.9 69	7.3 65	3.3 34	1.4 460		**111.3**	166-06	71-06
Purchaser															
48	150-08 Acc.	0.07 50	0.3 45	1.6 52	2.5 51	0.1 46	-0.3 46	3.5 53	4.4 45	2.3 28	1.5 59		**105.8**	30-06	25-02
49	Acc.														
Purchaser															
50	180A-08 Acc.	0.11 53	-0.2 44	3.5 67	4.4 66	-0.5 60	-0.6 50	6.1 69	10.3 66	11.7 36	1.6 60		**115.2**	12-06	30A-04
51	132-08 Acc.	0.18 54	1.2 39	2.5 55	2.3 55	-0.4 49	0.2 48	2.0 57	-3.3 48	1.1 26	1.0 61		**108.0**	130-05	24-02
Purchaser															