WOMBOOTA PASTORAL

SALE

THURSDAY 29th SEPTEMBER 2011
1.00pm

WOMBOOTA PASTORAL SHEARING SHED,
WOMBOOTA NSW

Vendors

Malcolm Starritt 03 5489 3225 or 0429 893 200
Ian Starritt 03 5489 3250
malcolm@wombootapastoral.com

58 ONE YEAR OLD RAMS
14 Specially Selected Rams &
22 Pens of 2 Rams

LANDMARK look to us

Echuca Office **03 5482 1588**
Craig Barbary **0418 936 713**
Wilson Beer **0428 505 520**

Elders

Echuca Office **03 5480 7077**
Matt O' Connor **0427 845 954**

Rumevite

Ridley Agriproducts
Tim Dawes **0428 503 407**

LAMBPLAN ASBV

$uperBorder$

www.superborders.com

www.wombootapastoral.com

WOMBOOTA PASTORAL

11th ON PROPERTY
RAM SALE
THURSDAY 29th September 2011, 1.00pm

WOMBOOTA PASTORAL SHEARING SHED, WOMBOOTA NSW

14 Specially Selected Rams (Pedigrees on display) **- 22 Pens of 2 Rams**

WHY WOMBOOTA PASTORAL BORDER LEICESTERS?

HISTORY – we have a 97 year history of breeding some of the best Border Leicesters in Australia

WE USE OUR OWN – we benefit from superior stud genetics in our own prime lamb operations

PROVEN PROFIT – we have proven results, and so will you ...

- Rams will be penned from 11.00am on the day of the sale
- Full Lambplan ASBV's available on each ram
- Pens of two sold under two hammers
- All sheep at **Womboota Pastoral** have been Gudair vaccinated since 2004
- Rams carry an Australian Health Score of 8 out of a possible 10 points
- **Womboota Border Leicester Stud** is Accretited Brucellosis free
- **Womboota Pastoral** is located within a footrot protected area.
- Light refreshments available on the day of the sale

We look forward to having you at our sale.
Regards,

Ian, Victoria, Malcolm, Alastair, Beau and Jacqueline Starritt

LANDMARK look to us

Echuca Office 03 5482 1588
Craig Barbary 0418 936 713
Wilson Beer 0428 505 520

Elders

Echuca Office **03 5480 7077**
Matt O' Connor **0427 846 954**



www.wombootapastoral.com
www.superborders.com
www.sheepgenetics.org.au

Outside Agents 4% Rebate if in attendance on the day of sale

AHS: 8 out of 10

LAMBPLAN ASBV

$uperBorder$

www.superborders.com

RIDLEY AGRIPRODUCTS

Rumevite

Understanding LAMBPLAN Maternal ASBVs

Rams with a more positive weaning weight (WWT) will, on average, produce lambs that grow quicker to weaning. This ram will produce lambs that are, on average, 0.4kg heavier than a ram with a 0 ASBV for WWT.

Rams with more positive ASBVs for post weaning weight (PWT) produce lambs that grow quicker and reach target weights in a shorter time. This ram will produce lambs that are, on average, 1.25kg heavier than a ram with a 0 ASBV for PWT.

Rams with more positive ASBVs for eye muscle depth (EMD) produce lambs that have a higher lean meat yield. This ram will produce lambs that have a 0.2mm deeper eye muscle than a ram with a 0 EMD ASBV.

Rams with a higher clean fleece weight (CFW) ASBV will produce progeny that cut more wool. This ram will produce progeny that, on average, cut 2.5% more wool than a ram with an ASBV of 0.

Worm egg count (WEC) ASBVs estimate an animal's genetic potential for resisting worm burdens. Lower WEC ASBVs are desirable. This ram will, on average, sire progeny that have 10% fewer eggs/gram than a ram with an ASBV of 0.

Trait	WWT (kg)	MWT (kg)	PWT (kg)	FAT (mm)	EMD (mm)	NLW (%)	CFW (%)	SC (cm)	WEC (%)	INDEX
ASBV	0.8	1.0	2.5	-0.4	0.4	4	5	0.6	-10	105.6
Acc	*51*	*53*	*61*	*45*	*38*	*33*	*37*	*44*	*37*	

Rams with more positive ASBVs for maternal weaning weight (MWT) will produce daughters which will wean heavier lambs. This ASBV reflects a combination of the daughter's ability to milk and provide a better maternal environment.

Rams with a more negative ASBV for fat will produce lambs that are leaner, at the same weight. This ram will produce lambs that are, on average, 0.2mm leaner at the GR site when compared to a ram with a FAT ASBV of 0.

Rams with a more positive number of lambs weaned (NLW) ASBV will sire daughters that wean a higher percentage of lambs. This ram with an ASBV of 4 will sire daughters which, on average, will wean 2% more lambs.

Rams with higher scrotal circumference (SC) ASBVs will sire daughters that are, on average, more fertile.

An index is a guide to the value of a ram for a particular market. Rams with higher indexes will produce lambs that are more suited to that particular breeding objective. In many cases the indexes used for maternal breeds are in $ terms.

- **An ASBV of 0 is the average of the 1990 drop.**
- *Note: A useful rule of thumb for converting ram ASBVs into lamb production differences is to simply halve the ASBV (as rams contribute half the genetics of the lamb).*
- Accuracy - published as a percentage, is a reflection of the amount of effective information that is available to calculate the ASBV. All ASBVs are now published with accuracies. The higher the percentage, the closer the ASBV is to the true breeding value of the animal. Breeding values without accuracies are Flock Breeding Values (FBVs) and can only be compared within the flock.

For more information contact Sheep Genetics
Ph: 02 6773 2948 Fax: 02 6773 2707
info@sheepgenetics.org.au www.sheepgenetics.org.au

Sheep Genetics is a joint program of Meat & Livestock Australia Limited ABN 39 081 678 364 and Australian Wool Innovation Limited ABN 12 095 165 558

WOMBOOTA
MALCOLM STARRITT
02-4575

Analysis : ***BORDER*** Dated : 15-Aug-11



WOMBOOTA PASTORAL

LAMBPLAN ASBV

$superBorder$

www.superborders.com

$superBorder$ are Border Leicesters ranked by **LAMBPLAN** to have superior genes for lamb production.

LAMBPLAN has independently ranked every ram sold under the **$superBorder$** brand as above average for the breed.

The **Dollar Index** and **ASBVs** of each ram show how they can produce significant extra returns and improved maternal traits.Through better growth rates, fertility, improved carcass traits, controlled fat and better muscling. **$superBorder$** enable producers to refine their own production systems.

What is the Dollar Index?

The overall value of **ASBVs** to clients is summarized in one score – The Dollar Index.

The Border Dollar Index adds together a ram's ASBVs, expressed in dollars per ewe joined.

The index is built up from the ram's contribution to each extra kg of lamb grown by the First and Second-cross breeder, and each extra lamb weaned by the Second-cross breeder. It allows for the fact that only 50% of the growth and fertility of the First-cross progeny is attributable to the ram, and 25% of the growth of the Second-cross.

The Components of the Index are :

- WWT - weaning weight
- MWWT - maternal weaning weight (extra growth contributed by the ewe = milk)
- PWWT - post-weaning weight (approx 9 months of age)
- YGFW - yearling greasy fleece weight
- NLW - number of lambs weaned
- PFAT - fat-depth at post-weaning
- PEMD - eye-muscle depth at post-weaning.

Extra Dollar Returns

As an example, if the breed average is 103, an index of 108 would represent a return of an extra **$5** for each ewe joined each year, or **$1000** for a lifetime's progeny of 200 lambs above breed average.

The second-cross breeder receives the benefit of the higher fertility (NLW) and milking ability (MWWT) whilst both First and Second-cross breeders share the benefit of the higher weaning weight (WWT) and Post-weaning weight (PWWT).

Percentile Report

Analysis **BORDER** Dated **15-Aug-11**

Animals born in 2010

Band	Bwt kg	Wwt kg	Mwwt kg	Pwwt kg	Pfat mm	Pemd mm	Ywt kg	Yfat mm	Yemd mm	Ygfw %	Yfd u	Pfec %	NLW %	PSC cm	Maternal$	Border$	Coopworth	Dual Purpose$
0	-0.6	9.7	2.8	14.5	-2.3	3.3	18.2	-3.1	2.8	22	0.0	-61	27	5.7	139.1	140.1	140.1	139.2
1	-0.3	7.1	2.1	10.7	-1.4	1.8	11.6	-2.0	1.5	15	0.0	-48	15	3.9	127.8	128.4	128.4	127.5
2	-0.3	6.6	1.9	10.0	-1.3	1.6	10.9	-1.7	1.3	14	0.0	-44	14	3.6	125.5	125.9	125.9	125.2
3	-0.2	6.3	1.7	9.6	-1.1	1.4	10.5	-1.6	1.2	13	0.0	-40	13	3.4	124.3	124.7	124.7	124.1
4	-0.2	6.1	1.6	9.3	-1.1	1.3	10.3	-1.5	1.1	12	0.0	-38	12	3.3	123.4	123.8	123.8	123.1
5	-0.2	6.0	1.6	9.0	-1.0	1.3	10.0	-1.4	1.1	11	0.0	-36	11	3.2	122.6	123.0	123.0	122.4
10	-0.1	5.4	1.3	8.2	-0.8	0.9	9.1	-1.1	0.8	9	0.0	-31	9	2.9	120.0	120.3	120.3	119.8
15	0.0	5.0	1.2	7.6	-0.7	0.7	8.5	-0.9	0.6	8	0.0	-26	8	2.6	118.3	118.5	118.5	118.2
20	0.0	4.7	1.0	7.1	-0.6	0.6	8.0	-0.8	0.5	8	0.0	-23	7	2.5	116.9	117.2	117.2	116.7
25	0.1	4.4	0.9	6.6	-0.5	0.5	7.6	-0.7	0.4	7	0.0	-20	6	2.3	115.7	115.9	115.9	115.6
30	0.1	4.2	0.8	6.3	-0.4	0.4	7.2	-0.6	0.3	6	0.0	-16	5	2.2	114.6	114.9	114.9	114.5
35	0.1	3.9	0.8	6.0	-0.3	0.3	6.9	-0.5	0.3	6	0.0	-13	5	2.0	113.7	113.9	113.9	113.5
40	0.2	3.7	0.7	5.6	-0.3	0.2	6.5	-0.4	0.2	5	0.0	-11	4	1.9	112.8	112.9	112.9	112.6
45	0.2	3.5	0.6	5.3	-0.2	0.1	6.2	-0.3	0.1	5	0.0	-8	4	1.8	111.9	112.0	112.0	111.7
50	0.2	3.2	0.5	4.9	-0.1	0.1	5.9	-0.2	0.1	4	0.0	-5	3	1.7	111.0	111.1	111.1	110.8
55	0.2	3.0	0.4	4.6	-0.1	0.0	5.6	-0.1	0.0	3	0.0	-2	3	1.6	110.0	110.1	110.1	109.8
60	0.3	2.7	0.3	4.2	0.0	-0.1	5.2	0.0	-0.1	3	0.0	1	2	1.5	109.1	109.1	109.1	108.8
65	0.3	2.4	0.3	3.8	0.1	-0.1	4.9	0.1	-0.1	2	0.0	4	2	1.4	108.0	108.1	108.1	107.8
70	0.3	2.1	0.2	3.3	0.2	-0.2	4.4	0.2	-0.2	2	0.0	7	1	1.2	106.9	107.0	107.0	106.6
75	0.3	1.7	0.0	2.7	0.3	-0.3	4.0	0.3	-0.3	1	0.0	11	1	1.1	105.6	105.6	105.6	105.3
80	0.4	1.3	-0.1	2.1	0.4	-0.4	3.4	0.4	-0.4	0	0.0	15	0	0.9	104.0	104.0	104.0	103.7
85	0.4	0.7	-0.3	1.2	0.5	-0.5	2.7	0.6	-0.5	-1	0.0	20	-1	0.7	101.7	101.8	101.8	101.3
90	0.4	-0.2	-0.5	0.1	0.6	-0.6	1.8	0.8	-0.6	-2	0.0	26	-1	0.5	98.2	98.4	98.4	98.4
95	0.5	-1.4	-0.9	-2.3	0.9	-0.8	0.5	1.1	-0.8	-5	0.0	37	-3	0.1	89.1	90.3	90.3	92.4
100	0.9	-6.9	-3.4	-8.4	4.0	-1.9	-8.7	5.1	-1.8	-23	0.0	112	-10	-2.2	74.3	76.2	76.2	78.3

SHEEP GENETICS

LAMBPLAN

Analysis : **BORDER** , 15 August 2011

Breed 02 Flock 4575 Years 2010 to 2011

Sires			BWT	MWWT	WWT	PWWT	PFAT	PEMD	YWT	YGFW	NLW	PFEC	Lambease				Sire
Animal ID	Inbreeding	Prog:Flks	kg	kg	kg	kg	mm	mm	kg	%	%	%	Direct	DTRs	Border$	Maternal$	Dam
020041-2009-09L136		81:2	0.53	0.4	6.8	11.4	-0.1	-0.7	13.0	17.4	1.2		-2.3	-0.9	120.1	120.2	023666-2007-070363
KELSO		Acc.: AR	86	52	90	90	90	88	86	82	48		50	39	63	63	020041-2003-03D321
020041-2009-09L213	9.2%	12:1	0.49	0.8	4.3	6.1	-0.1	0.2	7.6	-2.5	-0.4		-3.5	-3.7	112.5	112.3	020041-2008-08K038
KELSO		Acc.: AR	67	47	77	76	74	71	74	72	43		33	33	56	55	020041-2006-06H212
021090-2007-070030	0.1%	96:1	0.24	0.6	2.2	5.0	-0.3	-0.4	5.6	2.5	-4.4		-1.1	-1.5	105.8	105.3	023780-2005-050090
WONGAJONG		Acc.: AR	77	60	91	90	88	86	91	89	55		47	46	68	67	021090-2003-030096
023666-2007-070975	3.6%	172:3	0.18	0.3	4.9	7.3	-1.1	-0.1	8.4	14.4	3.6				117.4	116.4	023666-2003-030638
RETALLACK		Acc.: AR	81	62	95	92	87	85	94	74	47				64	63	023666-2005-050517
024575-2007-070027		65:1	0.42	2.0	5.9	8.2	1.1	0.6	10.3	-6.6	2.7				120.1	121.3	024575-2005-050130
WOMBOOTA		Acc.: AR	72	51	88	87	84	82	88	84	46				62	61	024575-2004-040025
024575-2007-070031	3.0%	20:1	0.36	1.3	4.5	6.4	-1.2	-1.3	8.0	-1.7	-3.5				108.3	107.9	024575-2006-060038
WOMBOOTA		Acc.: AR	63	39	79	78	73	70	78	74	38				53	53	024575-2005-050074
024575-2008-080069	0.3%	57:1	0.18	2.1	3.6	5.5	-0.9	0.2	6.5	5.9	1.4				116.0	115.1	024575-2005-050130
WOMBOOTA		Acc.: AR	67	48	86	84	81	79	84	83	44				59	59	024575-2006-060023
024575-2009-090024		24:1	0.68	1.9	7.7	9.6	-1.8	-1.0	12.2	3.7	-2.8				117.3	116.5	020041-2007-07J039
WOMBOOTA		Acc.: AR	68	48	82	81	78	76	81	67	42				57	57	024575-2007-070106

BOLDED ASBVs: indicates animal is in the top 10% of the breed *ITALIC ASBVs: indicates animal is in the **top 20%** of the breed*

WOMBOOTA BORDER LEICESTER STUD - Specially Selected Rams

LOT	Animal ID	BWT kg	MWWT kg	WWT kg	PWWT kg	PFAT mm	PEMD mm	YWT kg	YGFW %	NLW %	SB NUMBER	BORDER $	SIRE	DAM
1	104.10T Acc.	0.20 56	0.7 45	4.4 69	6.7 67	**-0.9** 63	-0.5 61	**9.5** 72	**11.6** 65	2.2 37	13378	**114.6** 49	975.07	39.06
Purchaser														
2	5.10T Acc.	0.22 56	0.2 39	4.3 66	6.0 65	-0.5 60	-0.6 58	**9.1** 69	-2.4 67	4.6 35	13380	**112.9** 47	L213.09	42.07
Purchaser														
3	81.10T Acc.	0.3 49	1.2 38	5.2 67	6 66	-0.2 62	-0.2 60	*9* 70	-1.6 69	0.6 33	13379	**112.6** 47	27.07	180.07
Purchaser														
4	67.10T Acc.	0.14 55	0.8 45	4.5 70	6.1 68	*-0.7* 62	-0.5 60	*8.6* 72	4.3 64	5.6 36	10600	**115.7** 49	975.07	182.07
Purchaser														
5	42.10T Acc.	0.24 56	0.4 47	*4.7* 70	6.5 68	**-1.7** 64	0.1 63	7 72	**20.3** 65	3.7 36	10599	**117.6** 49	975.07	136.06
Purchaser														
6	138.10T Acc.	0.42 56	0 40	*5.1* 68	*7.3* 67	-0.3 64	-0.2 62	7.4 69	6.8 69	-2 35	10598	**111.3** 48	L136.09	138.06
Purchaser														
7	75.10T Acc.	0.32 48		*5.2* 67	*7.4* 65	0.1 59	-0.4 57	**10.3** 70	-0.6 68	3.7 32	10597	**117.5** 46	27.07	206.08
Purchaser														
8	32.10T Acc.	0.37 54	**1.5** 42	4 68	6.3 67	*-0.7* 62	-0.5 61	7.8 70	-6.1 69	0.1 38	10596	**112.7** 50	30.07	26.07
Purchaser														
9	31.10T Acc.	0.4 54	**1.5** 42	4.4 68	6.5 67	**-0.8** 62	-0.5 61	7.8 70	-1.2 69	-0.8 38	12036	**112.8** 50	30.07	26.07
Purchaser														
10	65.10T Acc.	0.27 56	0.5 47	4.5 70	6.2 68	**-0.8** 64	-0.2 62	6.1 72	**14.4** 64	5.8 36	12026	**116.7** 49	975.07	112.05
Purchaser														
11	150.10T Acc.	0.26 52	**1.6** 37	3 68	4.7 66	-0.3 62	0.5 60	5.6 70	2.7 68	3.4 34	12045	**115.6** 47	69.08	28.08
Purchaser														
12	146.10T Acc.	0.23 51	**1.3** 38	3.4 67	5.4 65	**-1** 61	-0.1 59	6.8 69	**10.8** 58	5.9 33	12035	**117.3** 46	69.08	19.08
Purchaser														
13	143.10 Acc.	0.13 49	**1.8** 37	1.9 67	3.2 65	-0.2 60	0 58	4.2 69	1.3 68	-4.3 35		106 47	69.08	93.08
Purchaser														
14	103.10T Acc.	0.13 56	0.7 45	3.1 69	5.1 67	**-1.2** 63	-0.6 61	7.8 72	**12** 65	0.8 37		110.5 49	975.07	39.06
Purchaser														

BOLDED ASBVs: indicates animal is in the top 10% of the breed *ITALIC ASBVs: indicates animal is in the **top 20%** of the breed*

WOMBOOTA BORDER LEICESTER STUD - Pens of Two Rams

LOT	Animal ID		BWT kg	MWWT kg	WWT kg	PWWT kg	PFAT mm	PEMD mm	YWT kg	YGFW %	NLW %	SB NUMBER	BORDER $	SIRE	DAM
15	59.10TR	Acc.	0.33 55	0.5 40	4.5 69	7.4 68	-0.6 62	-0.7 61	**9.1** 69	**16.3** 67	**10.3** 35	12025	**120.6** 48	L136.09	217.07
Purchaser															
16	68.10T	Acc.	0.43 48	0.7 37	4.5 66	6.6 65	**-0.9** 60	-0.6 58	7.5 69	-0.3 67	2.2 32	12015	**113.7** 46	31.07	170.07
Purchaser															
17	144.10	Acc.	0.4 51	**1.6** 37	4.6 67	6.2 66	**-1** 61	0 59	7.4 69	-1 68	-2.3 33	12005	**112.9** 46	69.08	39.08
Purchaser															
18	17.10T	Acc.	0.33 56	*1.1* 39	4.5 66	5.6 65	0.4 61	**1.1** 59	6.4 69	-3 68	-1.1 35	12044	**113.7** 47	L213.09	134.07
Purchaser															
19	168.10T	Acc.	0.33 56	0.9 42	4 68	6.8 67	0.2 64	-0.7 62	**8.3** 70	5.7 67	-0.2 37	12034	**111.1** 49	L136.09	47.03
Purchaser															
20	76.10TR	Acc.	0.53 52	*1.2* 39	**6.3** 67	*7.8* 65	**-1.3** 61	-0.6 60	**9.5** 69	6.7 66	1.9 34	12024	**116.9** 47	24.09	107.08
Purchaser															
21	122.10TR	Acc.	0.36 51	*1.2* 39	*5.2* 67	*7.3* 66	0.4 62	-0.1 60	**9.9** 70	0.3 68	5.9 35	12014	**118.7** 48	27.07	214A.07
Purchaser															
22	80.10T	Acc.	0.29 57	-0.2 43	4.1 69	*7.1* 68	-0.1 64	-0.5 63	*8.2* 770	**17.1** 69	6.1 38	12004	**115.8** 50	L136.09	142.04
Purchaser															
23	124.10T	Acc.	0.27 50	**1.4** 36	3.8 67	5.9 65	*-0.7* 60	-0.3 59	7.8 69	3.3 68	0.9 35	12043	**113.5** 47	69.08	139.08
Purchaser															
24	147.10T	Acc.	0.13 51	**1.3** 38	2.7 67	5.6 65	**-0.8** 61	0.3 59	6.9 69	**8.2** 68	**12.4** 33	12033	**123.2** 46	69.08	19.08
Purchaser															
25	187.10T	Acc.	0.1 50	*1.2* 39	3.5 67	4.9 66	-0.1 62	0 60	6.3 70	-6.8 68	3.1 35	12023	**112.8** 48	69.08	53.08
Purchaser															
26	21.10TR	Acc.	0.58 59	0.9 38	**6.1** 68	**8.4** 67	*-0.6* 64	-0.8 62	**9.2** 70	**9.3** 55	2.1 36	12013	**116.5** 48	L136.09	168.07
Purchaser															
27	154.10T	Acc.	0.28 52	**1.7** 38	4 67	6.1 65	**-0.9** 62	-0.2 60	7 69	4.9 67	3.6 34	12003	**116.9** 47	69.08	12.09
Purchaser															
28	120.10TR	Acc.	0.08 53	**1.3** 45	2.1 68	4.4 67	*-0.7* 63	-0.6 61	6 70	7.2 69	*8.7* 38	12032	**115.9** 50	69.08	63.04
Purchaser															
29	96.10	Acc.	0.26 50	**1.5** 37	4 67	4.7 66	**-0.8** 60	-0.3 59	5 69	5 67	0.1 34	12022	**111.2** 47	69.08	79.08
Purchaser															

BOLDED ASBVs: indicates animal is in the top 10% of the breed *ITALIC ASBVs: indicates animal is in the **top 20%** of the breed*

WOMBOOTA BORDER LEICESTER STUD - Pens of Two Rams

LOT	Animal ID		BWT kg	MWWT kg	WWT kg	PWWT kg	PFAT mm	PEMD mm	YWT kg	YGFW %	NLW %	SB NUMBER	BORDER $	SIRE	DAM
30	50.10TR	Acc.	0.4 55	**1.9** 38	3.8 66	5 64	**-1** 60	-0.5 58	6.4 68	1.8 67	0.5 35	12012	**112.1** 47	69.08	60.08
Purchaser															
31	153.10T	Acc.	0.33 52	**1.7** 38	*4.7* 67	6.5 65	**-0.8** 62	0 60	7.3 69	5.5 67	2.1 34	12002	**117.2** 47	69.08	12.09
Purchaser															
32	85.10T	Acc.	0.19 56	0.7 47	3 70	4.2 68	**-1.5** 63	-0.3 62	5 72	**13.9** 53	5.2 37	12041	**113.8** 49	975.07	65.05
Purchaser															
33	142.10T	Acc.	0.24 53	0.6 43	2 68	3.8 67	-0.4 64	-1.1 62	4.2 71	3.2 70	-1 38		104.1 50	30.07	113.06
Purchaser															
34	114.10TR	Acc.	0.18 53	*1* 46	2.7 69	5 68	-0.2 64	0.5 62	4.8 71	8 70	-2.2 39		110.9 51	30.07	182.04
Purchaser															
35	23.10TR	Acc.	0.22 58	*1* 49	3.6 69	5.5 68	0.3 64	0.3 62	5.5 72	2.4 69	-3.2 40		109.7 51	30.07	51.03
Purchaser															
36	128.10	Acc.	0.19 55	0.5 49	1.7 69	3.8 68	-0.3 64	0.2 63	4.7 72	2.5 70	0.7 40		108.9 52	30.07	7.02
Purchaser															
37	143.10	Acc.	0.13 49	**1.8** 37	1.9 67	3.2 65	-0.2 60	0 58	4.2 69	1.3 68	-4.3 34		106 47	69.08	93.08
Purchaser															
38	46.10	Acc.	0.3 53	**1.5** 42	3.9 68	5.3 67	**-0.9** 62	0 61	5.1 70	2 67	-3.4 37		110.4 49	69.08	43.05
Purchaser															
39	100A.10TR	Acc.	0.21 52	0.8 44	3.6 68	4.6 67	1.2 64	0.3 62	6.3 71	-2.1 67	**13.1** 36		119 49	27.07	30A.04
Purchaser															
40	22.10TR	Acc.	0.19 58	*1* 49	2.2 69	3.7 68	0 64	0.1 62	3.6 72	-3.5 69	-3.9 40		105.6 51	30.07	51.03
Purchaser															
41	101.10T	Acc.	0.31 51	*1* 39	4.4 66	5.7 64	**-1.2** 60	-1.7 58	7.6 69	4.7 67	-4.3 35		104.6 47	31.07	11.06
Purchaser															
42	135.10T	Acc.	0.46 52	**1.3** 39	**5.7** 68	6.2 66	**-1.2** 62	-0.4 61	7.3 70	3.9 67	-5.1 35		109.4 48	24.09	158.08
Purchaser															
43	160.10T	Acc.	0.05 45		2.5 63	3.9 61	0.5 57	0.1 55	6.8 66		1.3 30		110.7 43	27.07	219.09
Purchaser															
44	73.10T	Acc.	0.2 53	0.5 41	2.2 67	4.5 66	0 62	-0.2 60	5.1 70	6.7 57	-0.9 38		107.6 49	30.07	31.08
Purchaser															

BOLDED ASBVs: indicates animal is in the top 10% of the breed *ITALIC ASBVs: indicates animal is in the **top 20%** of the breed*

WOMBOOTA BORDER LEICESTER STUD - Pens of Two Rams

LOT	Animal ID		BWT kg	MWWT kg	WWT kg	PWWT kg	PFAT mm	PEMD mm	YWT kg	YGFW %	NLW %	SB NUMBER	BORDER $	SIRE	DAM
45	26.10TR	Acc.	0.25 54	*1.2* 43	2.6 69	4.1 68	-0.5 63	0.4 62	4.2 71	**10.5** 70	0.1 38	12031	**111.3** 50	30.07	61.07
Purchaser															
46	162.10T	Acc.	**-0.02** 43		2.6 62	3.3 60	**-0.9** 56	0.4 54	3.9 65	5 64	1.1 29	12021	**113** 42	69.08	137.09
Purchaser															
47	178.10T	Acc.	0.22 54	**1.3** 42	3 68	4.4 67	0 62	0.2 60	4.6 71	-0.3 70	0.5 37	14587	**111.1** 49	30.07	160.08
Purchaser															
48	110.10TR	Acc.	0.21 54	*1.2* 43	2.6 69	4.6 68	0.2 63	-0.1 62	5.1 71	-4.3 70	-0.2 38		109.7 50	30.07	48.07
Purchaser															
49	166.10T	Acc.	0.08 52	*1.2* 41	3.3 67	5.3 67	**-0.8** 66	-0.6 63	5.6 65	**14.1** 67	1.9 36	12011	**112.3** 48	69.08	62.07
Purchaser															
50	69.10T	Acc.	0.37 48	0.7 37	3.6 66	5.2 65	**-1** 60	-0.2 58	5.5 69	-2.3 67	-0.1 32		110.6 46	31.07	170.07
Purchaser															
51	56.10T	Acc.	0.21 53	*1.2* 42	2.4 68	3.8 67	-0.3 62	-0.3 61	3.8 71	4.3 68	-0.1 38		108.5 50	30.07	138.08
Purchaser															
52	107.10T	Acc.	0.05 53	0.5 44	1.9 68	3.7 67	0 63	0 61	4.1 70	-0.9 70	1.1 38		108.1 50	30.07	136.07
Purchaser															
53	72.10T	Acc.	0.21 53	0.5 41	2.2 68	4.7 66	0 62	0 61	5.6 70	5.2 70	-0.6 38		109 50	30.07	31.08
Purchaser															
54	195.10	Acc.	**-0.17** 33		1.9 54	1 55	**-1.4** 55	-1 50	4.1 47	1.5 57			103.6 33		
Purchaser															
55	185.10T	Acc.	0.15 55	0 47	1.9 69	3.6 68	0 64	0.1 63	3.8 72	5.4 71	-4.2 41		103.5 52	30.07	103.04
Purchaser															
56	141.10T	Acc.	0.29 51	-0.1 40	1.9 66	2.7 65	*-0.6* 61	-0.1 59	2.8 69	-3.2 67	-4.3 36		101.6 48	31.07	55.04
Purchaser															
57	167.10T	Acc.	0.14 52	*1.2* 41	3.8 67	5.6 67	**-1.1** 66	-0.2 63	5.7 65	4.8 67	1 36	14588	**113.2** 48	69.08	62.07
Purchaser															
58	173.10T	Acc.	0.13 51	*1.1* 39	3.2 67	5.4 67	-0.2 66	*0.6* 64	6.1 64	4.3 68	3.1 36	14589	**116.1** 48	69.08	182.06
Purchaser															